



POWDERCOATED ALUMINIUM • FENCING • GATES • SCREENS


• STYLE • STRENGTH • SECURITY • SOPHISTICATION




Sandhurst




Lonsdale




Como




Flinders




Hadlow




Hendra




Malvern




Brighton




Oxford



Portsea



Sorrento




Arthur




MADE IN AUSTRALIA (ROSEBUD, VIC)




- NON RUST ALUMINIUM
- STRONG, LIGHTWEIGHT & DURABLE
- BETTER SUITED TO SALT AIR EXPOSURE THAN STEEL
- LARGE RANGE OF COLOURS & DESIGNS
- STANDARD & CUSTOM MADE DESIGNS




McCrae



Caulfield




Cottage Picket




Classic Picket


PANEL CONFIGURATIONS




Flat



End Rise



Scallop



Arch

SPEAR/PICKET INSERTS



(A)



(B)



(C)



(D)



(E)




(F)



(G)

ALUMINIUM SCREENING & FENCING




Wall/ Window Mounting



Between Posts



Between Structures



Patented System

Don't forget about your letterbox & numerals. Ask about our large range. Have it built into your fence at manufacture stage & coloured to match. Other spear & picket top inserts available other than shown.

www.woodvilleconstructions.com.au

POWDERCOATED ALUMINIUM • FENCING • GATES • SCREENS

• STYLE • STRENGTH • SECURITY • SOPHISTICATION

SPECIFICATIONS

- (T) – Tubular 16mm diameter bars inserted at 90mm centers through 38mm x 25mm rails.
 - Standard Panel Lengths (T) 2400mm & 3000mm (complete with fittings & screws).
 - Standard Panel Heights (T) 0.9m, 1.2m, 1.5m, 1.8m.
 - Standard Single Gate (T) 1 at 890mm wide.
 - Standard Double Gates (T) 2 at 1460mm wide.
 - Gate Hardware (sold separately – large range) \$P.O.A.
 - Standard Fence/Gate Posts available in 50mm, 65mm, 75mm, 100mm square of varying wall thickness depending on height or gate application (Complete with post cap) – optional decorative inserts \$P.O.A.

- (P) – Pickets either 50mm x 10mm (cottage) in 65mm x 16mm (classic 30/60)
 - Face welded to 40x 40 rails. All panels available in 0.9m, 1.2m, 1.5m, 1.8m heights with matching gates.
 - (Cottage picket) Standard Panel Length 2150mm (complete with fittings and screws).
 - Standard Single Gate 1 at 950mm wide.
 - Standard Double Gate 2 at 1450mm wide.
 - (Classic picket 30/60) Standard Panel Lengths 2120mm/2160mm (complete with fittings and screws).
 - Standard Single Gate 1 at 920mm/940mm wide.
 - Standard Double Gate 2 at 1490mm/1440mm wide.
 - Gate Hardware (sold separately – large range) \$P.O.A.
 - Standard fence/Gate Posts available in 65mm, 75mm, 100mm square of varying wall thickness depending on height or gate application (Complete with post cap) – optional decorative inserts \$P.O.A.

...Continued page 4

- (S) – Screening 65mm x 16mm (either 9mm or 20mm spaced)
Various heights and lengths/ other size slats, in both straight or louvered configuration available.
D.I.Y Kit Packs in 65mm x 16mm (9mm spacings) in 1175mm/1767mm heights and widths of 1200mm/1800mm/2400mm.
Full range of gates both standard opening or custom made.
Huge range of posts and accessories to compliment.

- Custom Fabrication service available across the entire range (\$P.O.A)
- After fabrication, all fences, gates, screens, posts, fittings etc are subjected to a chromate conversion process before being powdercoated to your colour choice.

- Specifications are subject to change without notice, please confirm at time of order thank you.